

## من نحـن

فاميتكو العربية المتحدة نحن متخصصون في تقديم تشــكيلة واســعة من الأبـــواب الداخلية عالية الجودة المصممة لتناســب جميع الأذواق والميزانيـــات. نحرص على تلبية احتياجات عملائنا من خلال تــــوفير منتجات تجمع بين الجمال والمتانة. يضم فريقنا خبرات واســـعة ويعمل جاهدًا لتقديم أفضل تجربة عملاء عبر الاهتمام بالتفاصيل وضمان رضا العملاء في كل خطوة.

## Who We Are

Famiteco Arabia United specializes in offering a wide range of high-quality interior doors designed to suit all tastes and budgets. We are committed to meeting our customers' needs by providing products that combine elegance and durability. Our team, with extensive expertise, strives to deliver the best customer experience by focusing on details and ensuring customer satisfaction at every step.

## رؤيتنــا

أن نقدم لعملائنا منتجات عالية الجودة وتصاميم مبتكرة تعكس ذوقهم الراقي وتلبي احتياجاتهم المتنوعة. نعمل على تحقيق ذلك من خلال التركيـــز على التفاصيـــل والجودة في كل مرحلة، مع الحرص على تقديـــم خدمة عملاء متميزة تعزز الثقة وتســـاهم في تحقيق رضاهم التام. نسعى لأن نكون الخيار الأول لعملائنا في مجال الأبواب الداخلية، من خلال تقديم حلول تجمع بين الجمال، الأداء، والموثوقية.

## **Our Vision**

To provide our customers with high-quality products and innovative designs that reflect their refined taste and meet their diverse needs. We achieve this by focusing on details and quality at every stage, ensuring exceptional customer service that builds trust and contributes to their complete satisfaction. We strive to be our customers' first choice in the field of interior doors by offering solutions that combine elegance, performance, and reliability.

## Products WPC Doors

## منتجات ابواب WPC

## ما هم الوال WPC عالماً؟

أبــواب (WPC (Wood Plastic Composite) هـــي نوع متطور من الأبواب التي تجمع بين خصائص الخشــب والبلاســتيك، لتقديـــم منتج يجمع بين الجمال، المتانة، والأداء العالي. تُصنع مادة WPC من مزيج متجانس من مصهور البلاستيك والخشب، مع إضافة مواد مثل البولي إثيلين، المقويات كالكالسيوم، ومواد أخرى مصممة لتعزيز خواصها. يهدف هذا التركيب إلى دمج مميزات البلاســـتيك مثل خفة الوزن، مقاومة الماء، وسهولة التشكيل، مع مميزات الخشب كالصّلابة وعزل الصوت.

## What are WPC Doors?

WPC (Wood Plastic Composite) doors are an advanced type of doors that combine the characteristics of wood and plastic, offering a product that blends beauty, durability, and high performance. WPC material is made from a homogeneous mixture of molten plastic and wood, with added components such as polyethylene, reinforcements like calcium, and other materials designed to enhance its properties. This composition aims to merge the advantages of plastic, such as lightweight, water resistance, and ease of shaping, with the benefits of wood, like sturdiness and sound insulation.

## مميزات أبواب WPC مقارنة بالأبواب التقليدية: Advantages of WPC Doors Compared to Traditional Doors:

عزل صوتي ممتــــاز؛ توفـــر بيئة **Excellent Sound Insulation:** Ensures a quiet and comfortable environment.



تتطلب مجهودًا كُبِيرًا في التركيب Requires minimal effort for installation and upkeep.

والنمل الأبيــض: خيار صحب ومستدام للمنازل والمكاتب. **Pest and Termite** Resistance: A healthy and sustainable choice for homes and offices.



مقاومة للصدمــــات والخدوش: تظــل محافظــة على مظهرهــا الأنيق لفترات طويلة. Impact and Scratch Resistance: Maintains an elegant appearance over long





مقاومة للحريق: تقلل من مخاطر الحرائق، مما يعزز الأمان. Fire Resistance: Reduces fire risks, enhancing safety.

مقاومـــة لـــلماء: لا تتأثــر بــالماء، مما يجعلهــا مثاليّـــة للمناطـــق الرطبة مثـــل المطابخ Water Resistance: Unaffected by water, making them ideal for humid areas like kitchens



and bathrooms.





# أنـواع الأبواب Types of Doors



## النـوع الأول النـوع النـوع الأول النـوع الـوع النـوع النـوع

## 01

## التميز والرفاهية بين يديك.

تتميز أبواب WPC من الفئة الماسية بسماكة 6 سم، مما يمنحها صلابة استثنائية وقدرة فائقة على عزل الصوت، مما يجعلها الخيــــار المثالي للمنازل الفاخرة والمكاتب الراقية. تم تصميمها بـــقشرة كورية ذات مقاومة عالية للخدوش، مما يضمن متانة تدوم طويلاً مع مظهر عصري وأنيق. توفر هذه الفئة للمســـتخدمين تجربة مميزة تجمع بين الجودة العالية والتصميم المبتكر، لتلبي تطلعات الباحثين عن الأفضل دائماً.

#### Luxury and Excellence at Your Fingertips.

WPC doors in the Diamond Category feature a thickness of 6 cm, providing exceptional sturdiness and outstanding sound insulation, making them the perfect choice for luxurious homes and upscale offices. Designed with a Korean veneer that offers high scratch resistance, these doors ensure long-lasting durability with a modern and elegant appearance. This category offers users a premium experience that combines high quality with innovative design, catering to those who always seek the very best.



ماســــي 006























ماســـي 007

ماســـي 012






ماســـي 001




ماســـي 001



ماســـي 006







ماســـي 200





ماســـي 016

ماســـي 018



ماســـي 014



ماســـي 017



ماســــي 013



ماســـي 019







ماســـي 023

## الـــوان الفئـــــة الماسيـــة Diamond Category Colors







النـوع الثاني الفئـة الذهبية Gold Category

### الجودة التي تستحقها بسعر مناسب.

تمثــل أبـــواب WPC من الفئـــة الذهبية خيـــارًا مثاليًا يجمـــع بين الأداء العالي والســعر المعقول. تأتي بسماكة 4.5 ســـم، مما يوفر توازنًا مثاليًا بين الصلابة وخفة الوزن. يتميز هذا النوع بقشرة صينية عالية الجودة مقاومة للخدوش، مما يجعلها مناســبة للمنازل والمكاتب التي تســعب لتوفير جودة تدوم طويلاً مع الحفــاظ على التكلفة. هذه الفئة مصممة لتلبية احتياجات المستخدمين الذين يبحثون عن القيمة والجودة في آن واحد.

#### The Quality You Deserve at a Fair Price.

WPC doors from the Gold Tier represent the perfect choice, combining high performance and reasonable cost. With a thickness of 4.5 cm, they provide an ideal balance between durability and lightweight design. This type features a high-quality, scratch-resistant Chinese veneer, making it suitable for homes and offices seeking long-lasting quality while keeping costs in check. This tier is designed to meet the needs of users who value both quality and affordability.





ر الله الله الـ <u>001</u>





<u>ج</u>هبت 600






<u>ج</u>ات 800



## الـــوان الفئــة الذهبــية Gold Category Colors







النوع الثالث البرونزيــة المنطقة البرونزيــة Bronze Category

### الخيار الذكي للميزانية.

تُعد الفئة البرونزية الخيار الأمثل في قطاع أبواب WPC. تتميز بسماكة 4.5 سم مع قشرة مينية متوسطة الجودة مقاومة للخدوش، مما يضمن أداءً جيدًا مع الحفاظ على التكلفة المنخفضـــة. تعد هــــذه الأبواب مثاليـــة للمنازل والمبـــاني التجارية التـــي تبحث عن حل اقتصادي بـــدون التضحية بالجودة الأساســـية. تجمع هذه الفئـــة بين المظهر العصري والسعر المناســـب، مما يجعلها الخيار المفضل للباحثين عن توفير المال دون المساومة على الأداء.

### The Smart Budget Choice.

The Bronze Category is the ideal choice in the WPC door sector. It features a thickness of 4.5 cm with a medium-quality Chinese veneer that is scratch-resistant, ensuring good performance while maintaining a low cost. These doors are perfect for homes and commercial buildings seeking an economical solution without compromising on essential quality. This category combines modern aesthetics with affordability, making it the preferred choice for those looking to save money without sacrificing performance.





#### TEST REPORT

No.STD-20200616-019N-2

CX-29-JL04 D/4 Page 2 of 4

				Summary of	Test Results						
No.	Tes	t Item	Unit	Test Norm	Test Result	Test Conclusion	Test Standard	Remark			
, ,,;	Grades of burning behavior										
	Flamma bility	Burning droplets		lgnition of filter paper without burning dripping in 60 s	lgnition of filter paper without burning dripping in 60 s	Accord	GB/T 8624-2012	5 T.			
		Burning length	mm	Fs<150 within 60s	Fs≤150 within 60s		GB/T 8624-2012	20			
	Single burning test	THR <sub>6005</sub>	МЛ	HB13 /4	≤15	n g Accord	GB/T 8624-2012	1,40			
		FIGRA <sub>0.4M</sub>	W/s	n d <sup>213</sup> r d	≤250		GB/T 8624-2012	7.5			
		LFS		The transverse spread of the flame did not reach the long wing edge of the specimen	The transverse spread of the flame did not reach the long wing edge of the specimen		GB/T 8624-2012				

Monomer burning test machine, Building material flammability test machine, etc. 1.Test equipment

2.Other information Laboratory environmental conditions:21°C,59%RH.



#### TEST REPORT

No.STD-20200616-019N-2

CX-29-JL04 D/4 Page 1 of 4

Applicant	Huangshan Belson Decoration Material Co., Ltd.						
Applicant Address	Shexian, Huangshan, Anhui, China Yao Xiuwang						
Contacts							
Sample Name	Wpc door and frame	Sample Number	20200616-519001				
Type/Serial No.	× = =	Sample Quantity	1 group				
Manufacturer		Other information	- 45° -20° .				
The above inform	ation is provided by the applican	t and the applicant should a	nswer for its authenticity.				
Received Date	2020/06/17	Sample State	Intact				
Finished Date	2020/06/17-2020/06/23	Test Type	Entrusted Test				
Test Item	Grades of burning behavior 创事信任						
Test Standard	GB 8624-2012 Classification for burning behavior of building materials and products						
Test Conclusion	According to applicant's dema- behavior met the requirements to page 2.		2012 The test results refe				
Remark	2. "De." 12.		ting Stand				




















#### TEST REPORT

No.STD-20200616-019N-2 CX-29-JL04 D/4 Page 4 of 4



\*\*\*The End\*\*\*

#### TEST REPORT

No.STD-20200616-019N-2

The second of the

CX-29-JL04 D/4

Page 3 of 4

Attachment

Attachment						
Table 1 Grades of Burning Behav	Table 1 Grades of Burning Behavior of building materials and products					
Grades of Burning Behavior	Name					
A	Incombustible materials (products)					
Bl	Flame retardant materials (products)					
B2	Combustible materials (products)					
B3	Inflammable materials (products)					









#### NOTES

- 1. The report is invalid without signatures or seals of the editor, reviewer and approver, and it is also invalid without the "test special chapter" and its riding seal.
- 2. The testing result is only responsible for the sent samples.
- 3.Any unauthorized copy, illegal transfer, embezzlement, imposture, modification or any other kind of manipulation in part is not valid. We will reserve the right to the legal responsibility.
- 4. Any objection to the report should be submitted to the testing company within 3 days since receiving the report. Otherwise, it will not be accepted.
- 5.We can delegate some items that have not been qualified to the agencies that qualified by law and have the ability to complete the subcontracting items.
- 6.The test report is only used in research, teaching and internal quality control instead of social proof. It shall not be used for court proof, arbitration and other related activities without our permission.

Standard Testing

Testing Company: Qingdao Standard Testing Co., Ltd.

Address: B1-1, B1-3, C3 Area, LANEBEST Innovation Park, No.1 Jinye Road, Qingdao

National Hith-tech Industrial Development Zone, Qingdao, Shandong

























**C** 0539979003

0138233826



inf@famtekoarabia.sa

